

MOTRIN

BRAND NAME: Motrin

GENERIC NAME: Ibuprofen

DIRECTIONS: Using the chart below, give the weight appropriate dosage listed every 6 hours as needed for a temperature greater than 101 degrees Fahrenheit or pain.

MORE INFORMATION: KnowYourDose.org

WARNING: DO NOT GIVE THIS MEDICATION TO A CHILD UNDER **6 MONTHS**. Consult a physician if your child has any kidney problems.

REMEMBER: Always read and follow the label on all medicines. Always put your medicine up and away and out of sight to avoid accidental ingestion by curious children. Use the dosing device (dropper, syringe, or cup) that comes with the product or a medication dosing syringe. Never give adult medicines to children. Whenever possible, use weight to determine your child's dose. Otherwise, use age. Talk to your doctor, nurse, or pharmacist if you have any questions.

Child's Weight (pounds)	Infant Drops: 50 mg/1.25 ml	Children's Liquid: 100 mg/5 ml
12-17	1.25 ml	2.5 ml
18-23	1.875 ml	4 ml
24-35	2.5 ml	5 ml
36-47	3.75ml	7.5 ml
48-59	5 ml	10 ml
60-71		12.5 ml
72-95		15 ml
≥ 96		20 ml

BENADRYL

BRAND NAME: Benadryl

GENERIC NAME: Diphenhydramine

DIRECTIONS: Using the chart below, give the weight appropriate dosage listed every 6 hours as needed for allergy symptoms or as recommended by your physician. This is the maximum recommended safe dosage based on your child's weight. If the listed dosage makes your child too sleepy, you may need to decrease the amount of medicine given in each dose.

MORE INFORMATION: KnowYourDose.org

WARNING: Consult a physician before giving this medication to children under **2 MONTHS**.

REMEMBER: Always read and follow the label on all medicines. Always put your medicine up and away and out of sight to avoid accidental ingestion by curious children. Use the dosing device (dropper, syringe, or cup) that comes with the product or a medication dosing syringe. Never give adult medicines to children. Whenever possible, use weight to determine your child's dose. Otherwise, use age. Talk to your doctor, nurse, or pharmacist if you have any questions.

Child's Weight (pounds)	Liquid: 12.5 mg/ 5 ml	Chewable Tablets: 12.5 mg	Tablets or Capsules: 25 mg
20-24	4 ml		
25-37	5 ml	1 tab	½ tab
38-49	7.5 ml	1 ½ tab	½ tab
50-99	10 ml	2 tabs	1 tab or capsule
≥ 100		4 tabs	2 tabs or capsules

TYLENOL

BRAND NAME: Tylenol

GENERIC NAME: Acetaminophen

DIRECTIONS: Using the chart below, give the weight appropriate dosage listed every 4 hours as needed for a temperature greater than 101 degrees Fahrenheit or pain.

MORE INFORMATION: KnowYourDose.org

WARNING: Consult a physician before giving this medication to children under **2 MONTHS**.

REMEMBER: Always read and follow the label on all medicines. Always put your medicine up and away and out of sight to avoid accidental ingestion by curious children. Use the dosing device (dropper, syringe, or cup) that comes with the product or a medication dosing syringe. Never give adult medicines to children. Whenever possible, use weight to determine your child's dose. Otherwise, use age. Talk to your doctor, nurse, or pharmacist if you have any questions.

Child's Weight (pounds)	Children's Liquid: 160 mg/5 ml	Children's Chewable Tablets: 80 mg tabs	Junior Strength: 160 mg tabs
6-11	1.25 ml		
12-17	2.5 ml		
18-23	3.75 ml	1 ½ tabs	
24-35	5 ml	2 tabs	1 tab
36-47	7.5 ml	3 tabs	1 ½ tabs
48-59	10 ml	4 tabs	2 tabs
60-71	12.5 ml	5 tabs	2 ½ tabs
72-95	15 ml	6 tabs	3 tabs
≥ 96	20 ml	8 tabs	4 tabs